



EC Declaration of conformity

Description

Manufacturer	"INFO VIT" LTD Ukraine, Kharkov, 61058 , St. Kultura 9. apt. 1 phone.+38 (057) 705-04-85, Fax.+38 (057) 705-01-39
Authorized representative in EU	IK ICQC (International Center for Quality Certification) Latvia, LV2016, Jurmala, Skolas 63-19, str, LV40002155625, phone: +371 27168371, e-mail: eastern.branch@icqc.co.uk
Technical documentation has been compiled and is held by	IK ICQC (International Center for Quality Certification)
Product name	TSM CERAMIC
Brand	"TSM CERAMIC Thermal insulation"
Test report	№ M-4072/2010 19/10/10 (EMI ÉPÍTÉSÜGYI MINÓSÉGELLENŐRZŐ INNOVÁCIÓS NONPROFIT Kft)
The adhesive on the concrete hardness, MPa	≥0,3
The adhesive on the hardness of steel, MPa	≥0,3
Water permeability, kg.m ⁻² h ^{-0,5}	W2
Water vapor permeability	II
The adhesive on the concrete hardness with freeze-thawing cycle, in accordance with EN 13687-3	≥0,3
The coefficient of thermal conductivity W m ⁻¹ K ⁻¹	≤ 0,00177 W/mK
The fire class	E
Test report	№TMK/427/2010, 2010/03/19, Debreceni Egyetem Muszaki Kar, MSZ EN 1934, The coefficient of thermal conductivity ≤0,00177W/mK
The CE mark was first applied in:	2013

Conformity harmonized standards

EN 15824:2009, EN 13501-1:2007

Used other standards

MSZ EN 1542:2000, MSZ EN ISO 4624:2003, MSZ EN 1062-3:2009, MSZ EN ISO 7783-2:2000,
MSZ EN 1542:2000, MSZ EN 12667:2001.



We affirm that above mentioned product „TSM CERAMIC” manufactured by "INFO VIT" LTD fulfils the requirements of the Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products

Vladimir Ginglatt, Managing Director



April 4, 2013 , Latvia, Jurmala

№JIC02250